

Canis-c Major

UHF RFID ABS Metal Tag

Applications

- Metal/steel Management
- Heavy equipment Management
- Container Management
- Work tools tracking
- Asset Tracking



With case



Without case

Product Description

CANIS-C Major metal tag delivers an excellent read performance. It is designed and tuned to be used in the metallic assets logistics & tracking, medical devices, tools etc.

Your Success is Our Vision



The logo for Canis-c Major, featuring a stylized white star icon with a blue swoosh above it, followed by the text "Canis-c Major" in a white serif font.

Specifications

Dimensions

With Case :

FCC : 125 x 36 x 9mm (4.9 x 1.4 x 0.4")

ETSI : 130 x 36 x 9mm (5.1 x 1.4 x 0.4")

Without Case :

FCC : 104 x 31 x 5mm (4.1 x 1.2 x 0.2")

ETSI : 109 x 31 x 5mm (4.3 x 1.2 x 0.2")

Weight

With Case :

FCC : 34g (0.075lbs)

ETSI : 39g (0.086lbs)

Without Case :

FCC : 18g (0.039lbs)

ETSI : 19g (0.041lbs)

Protocol

EPC Class 1 Gen 2

Working Frequency

FCC : 902-928MHz / ETSI : 865-868MHz

Material Compatibility

Metal Substrates

IC type

Impinj Monza 4D

Operating Temperature

-20°C to +85°C (-4°F to +185°F)

RoHS

2002/95/EC Compliant